

IN THE CLAIMS:

Please amend Claims 1, 2, 7 and 11 as shown below. The claims, as pending in the subject application, now read as follows:

1. (Currently amended) A method of sending a print job to a controlling printing apparatus in an information processing apparatus ~~communicating with a printing apparatus, the method~~ comprising:

a first generation step of generating a combined combination print job ~~[[data]]~~ by combining a first print job and a second print job, the first print job including first page data and first banner print data for printing first banner information, the second print job including second page data different from the first page data and second banner print data for printing second banner information different from the first banner information ~~each print data included in a plurality of print jobs before outputting the plurality of print jobs to the printing apparatus, the plurality of print jobs including print data for printing pages of a document and banner print data for banner printing, respectively;~~

a second generation step of generating new banner print data for printing new banner information different from the first banner information and the second banner information, for the combined print job ~~the combination print data~~ generated in the first generation step; and

a ~~sending third generation~~ step of sending the new banner print data generated in the second generation step, the first page data and the second page data to the printing apparatus, as the combined print job ~~generating a print job including the~~

~~combination print data generated in the first generation step and the new banner print data generated in the second generation step, such that the new banner print information, without printing the first banner information and the second banner information, [[data]] is printed on a sheet and each banner print data included in the plurality of prints jobs is not printed on the sheet.~~

2. (Currently amended) The method according to claim 1, wherein, in the first generation step the combined print job ~~combination print data~~ is generated by disabling data on execution of banner printing included in the first and second ~~plurality of~~ print jobs.

3. (Previously Presented) The method according to claim 1, further comprising a setting step of setting layout information on a number of pages laid out on a print sheet for the single print job,

wherein the layout information is applied to the combination print data without being applied to the banner print data, and the single print job is outputted to the printing apparatus in the output step.

4. to 6. (Canceled)

7. (Currently amended) An information processing apparatus for sending a print job to ~~communicating with~~ a printing apparatus, said information processing ~~professing~~ apparatus comprising:

a first generation unit adapted to generate a combined print job combination
print data by combining a first print job and a second print job, the first print job including
first page data and first banner print data for printing first banner information, the second
print job including second page data different from the first page data and second banner
print data for printing second banner information different from the first banner
information each print data included in a plurality of print jobs before outputting the
plurality of print jobs to the printing apparatus, the plurality of print jobs including print
data for printing pages of a document and banner print data for banner printing;
respectively;

a second generation unit adapted to generate new banner print data for
printing new banner information different from the first banner information and the second
banner information, for the combined print job the combination print data generated by
said first generation unit; and

a sending third generation unit adapted to send the new banner print data
generated by said second generation unit, the first page data and the second page data to the
printing apparatus, as the combined print job generate a print job including the combination
print data generated by said first generation unit and the new banner print data generated by
said second generation unit, such that the new banner print information, without printing
the first banner information and the second banner information, [[data]] is printed on a
sheet and each banner print data included in the plurality of print jobs is not printed on the
sheet.

8. (Previously Presented) A computer-readable storage medium storing a computer-executable program for causing a computer to implement the printing control method set forth in claim 1.

9. (Canceled)

10. (Previously Presented) The method according to claim 1, wherein the banner print data is data indicating designation of banner printing or banner pages.

11. (Currently amended) The apparatus according to claim 7, wherein said first generation unit generates the combined print job ~~combination print data~~ by disabling data on execution of banner printing included in the first and second ~~plurality of~~ print jobs.

12. (Previously Presented) The apparatus according to claim 7, further comprising a setting unit adapted to set layout information on a number of pages laid out on a print sheet for the single print job, wherein the layout information is applied to the combination print data without being applied to the banner print data, and the single print job is outputted to the printing apparatus by said output unit.

13. (Previously Presented) The apparatus according to claim 7, wherein the banner print data is data indicating designation of banner printing or banner pages.

14. (Canceled)

15. (Previously presented) The method according to claim 1, wherein the new banner print data includes data of a user that instructs the print and data of the print time.

16. (Canceled)

17. (Previously presented) The apparatus according to claim 7, wherein the new banner print data includes data of a user that instructs the print and data of the print time.